


LIST OF REFERENCES CITED BY APPLICANT <i>(Use several sheets if necessary)</i>	Atty. Docket No. 6309.NCP		Serial No. 09/856,461
	Applicant RL Heinrikson, MJ Bienkowski		TECH CENTER 1600/2900
	Filing Date April 17, 2001	Group 164	

#5

APR 03 2002



U.S. PATENT DOCUMENTS

Examiner Initial		Document Number	Date	Name	Class	Subclass	Filing Date If Appropriate
<i>MMR</i>	AA	4,373,023	Feb. 8, 1983	RS Langer, R Linhardt, CL Cooney, PM Galliher, MM Flanagan, MD Klein	A01N	1/02	Oct. 14, 1980
	AB	4,863,611	Sep. 5, 1989	H Bernstein, MA Wheatley, RS Langer	B01D	15/02	Apr. 30, 1987
	AC	5,211,850	May 18, 1993	U Shettigar, JC McRea,	B01D	61/00	Jul. 26, 1991
<i>MMR</i>	AD	5,567,417	Oct. 22, 1996	R Sasisekharan, MA Moses, MA Nugent, CL Cooney, RS Langer	A61K	38/51	May 1, 1995

FOREIGN PATENT DOCUMENTS

		Document Number	Date	Country	Class	Subclass	Translation	
							Yes	No
<i>MMR</i>	AE	WO 91/02977	Mar. 7, 1991	World	G01N	33/53	X	
	AF	WO 91/09955	July 11, 1991	World	C12N	15/67	X	
	AG	WO 91/18982	Dec. 12, 1991	World	C12N	15/12	X	
	AH	WO 92/20808	Nov. 26, 1992	World	C12N	15/85	X	
	AI	WO 93/11236	June 10, 1993	World	C12N	15/13	X	
	AJ	WO 94/12650	June 9, 1994	World	C12N	15/90	X	
	AK	WO 97/09433	Mar. 13, 1997	World	C12N	15/54	X	
	AL	WO 97/11684	Apr. 3, 1997	World	A61K	9/14	X	
<i>MMR</i>	AM	WO 98/03638	Jan. 29, 1998	World	C12N	9/24	X	
<i>MMR</i>	AN	EP 0367566	Oct. 31, 1989	Europe	C12N	15/12	X	

OTHER PRIOR ART (Including Author, Title, Date, Pertinent Pages, Etc.)

	AO	Adv. Appl. Math. 2: 482-489 (1981)
<i>MMR</i>	AP	Anderson, W.F., Human gene therapy. Nature, 1998. 392(6679 Suppl): p. 25-30
	AQ	Aujame, L., F. Geoffroy, and R. Sodoyer, High affinity human antibodies by phage display. Hum Antibodies, 1997. 8(4): p. 155-68
	AR	Ausubel, et al., ed., in Short Protocols in Molecular Biology, 2 nd edition, John Wiley & Sons, publishers, pg. 16-49, 1992
<i>MMR</i>	AS	Ausubel, et al. (Eds.), Protocols in Molecular Biology, John Wiley & Sons (1994), pp. 6.0.3 to 6.4.10

LIST OF REFERENCES CITED BY APPLICANT <i>(Use several sheets if necessary)</i>		Atty. Docket No. 6309.NCP	Serial No. 09/836,461																																																																																				
		APR 03 2002	TECH CENTER 1600/2900																																																																																				
		Applicant RL Heinrikson, MJ Bienkowski																																																																																					
		Filing Date April 17, 2001	Group 1646																																																																																				
<table border="1"> <tr> <td></td> <td>AT</td> <td colspan="2">Biochemistry, Second Edition, Worth Publishers, Inc., NY, NY (1975), pp. 71-77</td> </tr> <tr> <td><i>mmr</i></td> <td>AU</td> <td colspan="2">Bruggemann, M. and M.S. Neuberger, <i>Strategies for expressing human antibody repertoires in transgenic mice</i>. Immunol Today, 1996. 17(8): p. 391-7</td> </tr> <tr> <td></td> <td>AV</td> <td colspan="2">Bruggemann, M. and M.J. Taussig, <i>Production of human antibody repertoires in transgenic mice</i>. Curr Opin Biotechnol, 1997. 8(4): p. 455-8</td> </tr> <tr> <td></td> <td>AW</td> <td colspan="2">Capechi, M.R., <i>Altering the genome by homologous recombination</i>. Science, 1989. 244(4910): p. 1288-92</td> </tr> <tr> <td></td> <td>AX</td> <td colspan="2">Choo, Y., et al., <i>Promoter-specific activation of gene expression directed by bacteriophage-selected zinc fingers</i>. J Mol Biol, 1997. 273(3): p. 525-32</td> </tr> <tr> <td></td> <td>AY</td> <td colspan="2">Cosman, D., et al., <i>Cloning, sequence and expression of human interleukin-2 receptor</i>. Nature, 1984. 312(5996): p. 768-71</td> </tr> <tr> <td></td> <td>AZ</td> <td colspan="2">Cosman, D., et al., <i>High level stable expression of human interleukin-2 receptors in mouse cells generates only low affinity interleukin-2 binding sites</i>. Mol Immunol, 1986. 23(9): p. 935-41</td> </tr> <tr> <td></td> <td>BA</td> <td colspan="2">Dayhoff, in <i>Atlas of Protein Sequence and Structure</i>, Vol. 5, p. 124, National Biochemical Research Foundation, Washington, D.C. (1972)</td> </tr> <tr> <td></td> <td>BB</td> <td colspan="2">Erlich H. A., ed., <i>PCR Technology</i>, Stockton Press, New York, 1989;</td> </tr> <tr> <td></td> <td>BC</td> <td colspan="2">Foote, J. and G. Winter, <i>Antibody framework residues affecting the conformation of the hypervariable loops</i>. J Mol Biol, 1992. 224(2): p. 487-99.</td> </tr> <tr> <td></td> <td>BD</td> <td colspan="2">Friedman, Science, 244: 1275-1281 (1989)</td> </tr> <tr> <td></td> <td>BE</td> <td colspan="2">Gluzman, Y., <i>SV40-transformed simian cells support the replication of early SV40 mutants</i>. Cell, 1981. 23(1): p. 175-82.</td> </tr> <tr> <td></td> <td>BF</td> <td colspan="2">Godder, K., et al., <i>Heparanase activity in cultured endothelial cells</i>. J Cell Physiol, 1991. 148(2): p. 274-80.</td> </tr> <tr> <td></td> <td>BG</td> <td colspan="2">Greisman, H.A. and C.O. Pabo, <i>A general strategy for selecting high-affinity zinc finger proteins for diverse DNA target sites</i>. Science, 1997. 275(5300): p. 657-61</td> </tr> <tr> <td></td> <td>BH</td> <td colspan="2">Haimovitz-Friedman, A., et al., <i>Activation of platelet heparitinase by tumor cell-derived factors</i>. Blood, 1991. 78(3): p. 789-96</td> </tr> <tr> <td></td> <td>BI</td> <td colspan="2">Harlow et al. (Eds), <i>Antibodies A Laboratory Manual</i>, Cold Spring Harbor Laboratory, Cold Spring Harbor, NY (1988), Chapter 6</td> </tr> <tr> <td></td> <td>BJ</td> <td colspan="2">Fairbanks MB et al. <i>Processing of the human heparanase precursor and evidence that the active enzyme is a heterodimer</i>. 1999 Journal of Biological Chemistry. 274(42):29587-90</td> </tr> <tr> <td></td> <td>BK</td> <td colspan="2">Hoogenboom, HR Designing and optimizing library selection strategies for generating high-affinity antibodies. Trends Biotechnol, 1997. 15(2): p. 62-70</td> </tr> <tr> <td></td> <td>BL</td> <td colspan="2">Hoogewerf, A.J., et al., <i>CXC chemokines connective tissue activating peptide-III and neutrophil activating peptide-2 are heparin/heparan sulfate-degrading enzymes</i>. J Biol Chem, 1995. 270(7): p. 3268-77.</td> </tr> <tr> <td></td> <td>BM</td> <td colspan="2">Hopp, T.P. and K.R. Woods, <i>A computer program for predicting protein antigenic determinants</i>. Mol Immunol, 1983. 20(4): p. 483-9</td> </tr> <tr> <td><i>mmr</i></td> <td>BN</td> <td colspan="2">Hopp, T.P. and K.R. Woods, <i>Prediction of protein antigenic determinants from amino acid sequences</i>. Proc Natl Acad Sci U S A, 1981. 78(6): p. 3824-8.</td> </tr> </table>					AT	Biochemistry, Second Edition, Worth Publishers, Inc., NY, NY (1975), pp. 71-77		<i>mmr</i>	AU	Bruggemann, M. and M.S. Neuberger, <i>Strategies for expressing human antibody repertoires in transgenic mice</i> . Immunol Today, 1996. 17(8): p. 391-7			AV	Bruggemann, M. and M.J. Taussig, <i>Production of human antibody repertoires in transgenic mice</i> . Curr Opin Biotechnol, 1997. 8(4): p. 455-8			AW	Capechi, M.R., <i>Altering the genome by homologous recombination</i> . Science, 1989. 244(4910): p. 1288-92			AX	Choo, Y., et al., <i>Promoter-specific activation of gene expression directed by bacteriophage-selected zinc fingers</i> . J Mol Biol, 1997. 273(3): p. 525-32			AY	Cosman, D., et al., <i>Cloning, sequence and expression of human interleukin-2 receptor</i> . Nature, 1984. 312(5996): p. 768-71			AZ	Cosman, D., et al., <i>High level stable expression of human interleukin-2 receptors in mouse cells generates only low affinity interleukin-2 binding sites</i> . Mol Immunol, 1986. 23(9): p. 935-41			BA	Dayhoff, in <i>Atlas of Protein Sequence and Structure</i> , Vol. 5, p. 124, National Biochemical Research Foundation, Washington, D.C. (1972)			BB	Erlich H. A., ed., <i>PCR Technology</i> , Stockton Press, New York, 1989;			BC	Foote, J. and G. Winter, <i>Antibody framework residues affecting the conformation of the hypervariable loops</i> . J Mol Biol, 1992. 224(2): p. 487-99.			BD	Friedman, Science, 244: 1275-1281 (1989)			BE	Gluzman, Y., <i>SV40-transformed simian cells support the replication of early SV40 mutants</i> . Cell, 1981. 23(1): p. 175-82.			BF	Godder, K., et al., <i>Heparanase activity in cultured endothelial cells</i> . J Cell Physiol, 1991. 148(2): p. 274-80.			BG	Greisman, H.A. and C.O. Pabo, <i>A general strategy for selecting high-affinity zinc finger proteins for diverse DNA target sites</i> . Science, 1997. 275(5300): p. 657-61			BH	Haimovitz-Friedman, A., et al., <i>Activation of platelet heparitinase by tumor cell-derived factors</i> . Blood, 1991. 78(3): p. 789-96			BI	Harlow et al. (Eds), <i>Antibodies A Laboratory Manual</i> , Cold Spring Harbor Laboratory, Cold Spring Harbor, NY (1988), Chapter 6			BJ	Fairbanks MB et al. <i>Processing of the human heparanase precursor and evidence that the active enzyme is a heterodimer</i> . 1999 Journal of Biological Chemistry. 274(42):29587-90			BK	Hoogenboom, HR Designing and optimizing library selection strategies for generating high-affinity antibodies. Trends Biotechnol, 1997. 15(2): p. 62-70			BL	Hoogewerf, A.J., et al., <i>CXC chemokines connective tissue activating peptide-III and neutrophil activating peptide-2 are heparin/heparan sulfate-degrading enzymes</i> . J Biol Chem, 1995. 270(7): p. 3268-77.			BM	Hopp, T.P. and K.R. Woods, <i>A computer program for predicting protein antigenic determinants</i> . Mol Immunol, 1983. 20(4): p. 483-9		<i>mmr</i>	BN	Hopp, T.P. and K.R. Woods, <i>Prediction of protein antigenic determinants from amino acid sequences</i> . Proc Natl Acad Sci U S A, 1981. 78(6): p. 3824-8.	
	AT	Biochemistry, Second Edition, Worth Publishers, Inc., NY, NY (1975), pp. 71-77																																																																																					
<i>mmr</i>	AU	Bruggemann, M. and M.S. Neuberger, <i>Strategies for expressing human antibody repertoires in transgenic mice</i> . Immunol Today, 1996. 17(8): p. 391-7																																																																																					
	AV	Bruggemann, M. and M.J. Taussig, <i>Production of human antibody repertoires in transgenic mice</i> . Curr Opin Biotechnol, 1997. 8(4): p. 455-8																																																																																					
	AW	Capechi, M.R., <i>Altering the genome by homologous recombination</i> . Science, 1989. 244(4910): p. 1288-92																																																																																					
	AX	Choo, Y., et al., <i>Promoter-specific activation of gene expression directed by bacteriophage-selected zinc fingers</i> . J Mol Biol, 1997. 273(3): p. 525-32																																																																																					
	AY	Cosman, D., et al., <i>Cloning, sequence and expression of human interleukin-2 receptor</i> . Nature, 1984. 312(5996): p. 768-71																																																																																					
	AZ	Cosman, D., et al., <i>High level stable expression of human interleukin-2 receptors in mouse cells generates only low affinity interleukin-2 binding sites</i> . Mol Immunol, 1986. 23(9): p. 935-41																																																																																					
	BA	Dayhoff, in <i>Atlas of Protein Sequence and Structure</i> , Vol. 5, p. 124, National Biochemical Research Foundation, Washington, D.C. (1972)																																																																																					
	BB	Erlich H. A., ed., <i>PCR Technology</i> , Stockton Press, New York, 1989;																																																																																					
	BC	Foote, J. and G. Winter, <i>Antibody framework residues affecting the conformation of the hypervariable loops</i> . J Mol Biol, 1992. 224(2): p. 487-99.																																																																																					
	BD	Friedman, Science, 244: 1275-1281 (1989)																																																																																					
	BE	Gluzman, Y., <i>SV40-transformed simian cells support the replication of early SV40 mutants</i> . Cell, 1981. 23(1): p. 175-82.																																																																																					
	BF	Godder, K., et al., <i>Heparanase activity in cultured endothelial cells</i> . J Cell Physiol, 1991. 148(2): p. 274-80.																																																																																					
	BG	Greisman, H.A. and C.O. Pabo, <i>A general strategy for selecting high-affinity zinc finger proteins for diverse DNA target sites</i> . Science, 1997. 275(5300): p. 657-61																																																																																					
	BH	Haimovitz-Friedman, A., et al., <i>Activation of platelet heparitinase by tumor cell-derived factors</i> . Blood, 1991. 78(3): p. 789-96																																																																																					
	BI	Harlow et al. (Eds), <i>Antibodies A Laboratory Manual</i> , Cold Spring Harbor Laboratory, Cold Spring Harbor, NY (1988), Chapter 6																																																																																					
	BJ	Fairbanks MB et al. <i>Processing of the human heparanase precursor and evidence that the active enzyme is a heterodimer</i> . 1999 Journal of Biological Chemistry. 274(42):29587-90																																																																																					
	BK	Hoogenboom, HR Designing and optimizing library selection strategies for generating high-affinity antibodies. Trends Biotechnol, 1997. 15(2): p. 62-70																																																																																					
	BL	Hoogewerf, A.J., et al., <i>CXC chemokines connective tissue activating peptide-III and neutrophil activating peptide-2 are heparin/heparan sulfate-degrading enzymes</i> . J Biol Chem, 1995. 270(7): p. 3268-77.																																																																																					
	BM	Hopp, T.P. and K.R. Woods, <i>A computer program for predicting protein antigenic determinants</i> . Mol Immunol, 1983. 20(4): p. 483-9																																																																																					
<i>mmr</i>	BN	Hopp, T.P. and K.R. Woods, <i>Prediction of protein antigenic determinants from amino acid sequences</i> . Proc Natl Acad Sci U S A, 1981. 78(6): p. 3824-8.																																																																																					

RECEIVED

RECEIVED

U.S. PATENT AND TRADEMARK OFFICE
MAR 29 2002
JC10
RECEIVED
APR 3 2002
1600290

LIST OF REFERENCES CITED BY APPLICANT <i>(Use several sheets if necessary)</i>		Atty. Docket No. 6309.NCP	Serial No. 09/836481
		Applicant RL Heinrikson, MJ Bienkowski	
		Filing Date April 17, 2001	Group 1646
<i>MAR 29 2002</i>	BO	Hulett, M.D., et al., <i>Human malian heparanase, an important enzyme in tumor invasion and metastasis</i> . Nature Genetics, 1999. 5:803-809	
	BP	Innis M. A., et al. eds <i>PCR Protocols: A Guide to Methods and Applications</i> 1990. Academic Press, Inc., New York	
	BQ	Jones, P.T., et al., <i>Replacing the complementarity-determining regions in a human antibody with those from a mouse</i> . Nature, 1986. 321(6069): p. 522-5	
	BR	Kettleborough, C.A., et al., <i>Humanization of a mouse monoclonal antibody by CDR-grafting: the importance of framework residues on loop conformation</i> . Protein Eng, 1991. 4(7): p. 773-83.	
	BS	Khan, M.Y. and S.A. Newman, <i>A rapid colorimetric assay for heparinase activity</i> . Anal Biochem, 1991. 196(2): p. 373-6	
	BT	Kim, J.S., et al., <i>Design of TATA box-binding protein/zinc finger fusions for targeted regulation of gene expression</i> . Proc Natl Acad Sci U S A, 1997. 94(8): p. 3616-20.	
	BU	Klein, U. and K. Von Figura, <i>Partial purification and characterization of heparan sulfate specific endoglycuronidase</i> . Biochem Biophys Res Commun, 1976. 73(3): p. 569-76	
	BV	Kosir, M.A., et al., <i>Human prostate carcinoma cells produce extracellular heparanase</i> . J Surg Res, 1997. 67(1): p. 98-105	
	BW	Kussie, P.H. et al. <i>Cloning and Functional Expression of a Human Heparanase Gene</i> , Biochem. Biophys. Res. Comm. 1999 261:183-187	
	BX	Langer et al. <i>Biomaterials: Inter-facial Phenomenon and Applications</i> , Cooper et al., eds.. pp. 493-509 (1982)	
	BY	Lehninger, <i>Biochemistry</i> , Second Edition; Worth Publishers, Inc. NY:NY (1975), pp.71-77	
	BZ	Liu, Q., et al., <i>Design of polydactyl zinc-finger proteins for unique addressing within complex genomes</i> . Proc Natl Acad Sci U S A, 1997. 94(11): p. 5525-30	
	CA	Luckow and Summers, <i>Bio/Technology</i> 6:47 (1988)	
	CB	Margalit, H., et al., <i>Prediction of immunodominant helper T cell antigenic sites from the primary sequence</i> . J Immunol, 1987. 138(7): p. 2213-29	
	CC	Matzner, Y., et al., <i>Subcellular localization of heparanase in human neutrophils</i> . J Leukoc Biol, 1992. 51(6): p. 519-24.	
	CD	McColl, D.J., C.D. Honchell, and A.D. Frankel, <i>Structure-based design of an RNA-binding zinc finger</i> . Proc Natl Acad Sci U S A, 1999. 96(17): p. 9521-6.	
	CE	Miller, A.D., <i>Human gene therapy comes of age</i> . Nature, 1992. 357(6378): p. 455-60.	
	CF	Morrison and Oi, <i>Adv. Immunol.</i> 44: 65-92 (1989)	
	CG	Nakajima et al. <i>Anal. Biochem.</i> 196: 162-171, 1986	
	CH	Nakajima, M., T. Irimura, and G.L. Nicolson, <i>Tumor metastasis-associated heparanase (heparan sulfate endoglycosidase) activity in human melanoma cells</i> . Cancer Lett, 1986. 31(3): p. 277-83.	
<i>MAR 29 2002</i>	CI	Ogren, S. and U. Lindahl, <i>Cleavage of macromolecular heparin by an enzyme from mouse mastocytoma</i> . J Biol Chem, 1975. 250(7): p. 2690-7	

		Atty. Docket No. 6309.NCP	Serial No. 09/836,461
LIST OF REFERENCES CITED BY APPLICANT <small>(Use several sheets if necessary)</small>		Applicant RI. Heinrikson, MJ Bienkowski	
		Filing Date April 17, 2001	Group 1646
<i>mmml</i>	O I P E MAR 29 2002 SEARCHED & INDEXED TRADEMAKES SC 10 2002	Okamoto, H. and P. Berg, <i>A cDNA cloning vector that permits expression of cDNA inserts in mammalian cells</i> . Mol Cell Biol, 1983. 3 (2): p. 280-9	
	CK	Padlan, Molecular Immunol., 28(4/5):489-98 (1991)	
	CL	Parish, C.R., et al., <i>Evidence that sulphated polysaccharides inhibit tumour metastasis by blocking tumour-cell-derived heparanases</i> . Int J Cancer, 1987. 40 (4): p. 511-8	
	CM	Rader, C. and C.F. Barbas, 3rd, <i>Phage display of combinatorial antibody libraries</i> . Curr Opin Biotechnol, 1997. 8 (4): p. 503-8	
	CN	Rapraeger, A.C., A. Kruska, and B.B. Olwin, <i>Requirement of heparan sulfate for bFGF-mediated fibroblast growth and myoblast differentiation</i> . Science, 1991. 252 (5013): p. 1705-8	
	CO	Riechmann, L., et al., <i>Reshaping human antibodies for therapy</i> . Nature, 1988. 332 (6162): p. 323-7.	
	CP	Sambrook, et al., (Eds.), <i>Molecular Cloning. A Laboratory Manual</i> . Cold Spring Harbor Laboratory Press: Cold Spring Harbor, New York (1989), pp. 9.47 to 9.51	
	CQ	Savion, N., M.H. Disatnik, and Z. Nevo, <i>Murine macrophage heparanase. inhibition and comparison with metastatic tumor cells</i> . J Cell Physiol, 1987. 130 (1): p. 77-84.	
	CR	Segal, D.J., et al., <i>Toward controlling gene expression at will: selection and design of zinc finger domains recognizing each of the 5'-GNN-3' DNA target sequences</i> . Proc Natl Acad Sci U S A, 1999. 96 (6): p. 2758-63	
	CS	Sewell, R.F., P.E. Brenchley, and N.P. Mallick, <i>Human mononuclear cells contain an endoglycosidase specific for heparan sulphate glycosaminoglycan demonstrable with the use of a specific solid-phase metabolically radiolabelled substrate</i> . Biochem J, 1989. 264 (3): p. 777-83	
	CT	Shively, J.E. and H.E. Conrad, <i>Formation of anhydrosugars in the chemical depolymerization of heparin</i> . Biochemistry, 1976. 15 (18): p. 3932-42	
	CU	Tempest, P.R., et al., <i>Reshaping a human monoclonal antibody to inhibit human respiratory syncytial virus infection in vivo</i> . Biotechnology (N Y), 1991. 9 (3): p. 266-71	
	CV	Toyoshima, M. et al. <i>Human heparanase: Purification, characterization, cloning and expression</i> . J. Biol. Chem. 274 :29587-29590	
	CW	Verhoeyen, M., C. Milstein, and G. Winter, <i>Reshaping human antibodies: grafting an antilysozyme activity</i> . Science, 1988. 239 (4847): p. 1534-6	
	CX	Verma, I.M., <i>Gene therapy</i> . Sci Am, 1990. 263 (5): p. 68-72, 81-4	
	CY	Vettel, U., et al., <i>Coordinate secretion and functional synergism of T cell-associated serine proteinase-1 (MTSP-1) and endoglycosidase(s) of activated T cells</i> . Eur J Immunol, 1991. 21 (9): p. 2247-51	
	CZ	Van Regenmortel, M.H.V., 1986. <i>Trends in Biological Sciences</i> 11: 36-39.	
	DA	Vlodavsky, I., et al., <i>Expression of heparanase by platelets and circulating cells of the immune system: possible involvement in diapedesis and extravasation</i> . Invasion Metastasis, 1992. 12 (2): p. 112-27.	
<i>mmml</i>	DB	Vlodavsky I. et al., <i>Mammalian heparanase: gene cloning, expression and function in tumor progression and metastasis</i> ,.	

LIST OF REFERENCES CITED BY APPLICANT <i>(Use several sheets if necessary)</i>		Atty. Docket No. 6309.NCP	Serial No. 09/836,461
		Applicant RL Heinrikson, MJ Bienkowski	Filing Date April 17, 2001
<p>1999 Nature Medicine. 5(7):793-802</p> <p>DC Wu, H., W.P. Yang, and C.F. Barbas, 3rd, <i>Building zinc fingers by selection: toward a therapeutic application.</i> Proc Natl Acad Sci U S A, 1995, 92(2): p. 344-8</p> <p>DD Yahalom, J., et al., <i>Differentiating human leukemia cells express heparanase that degrades heparan sulfate in subendothelial extracellular matrix.</i> Leuk Res, 1988, 12(9): p. 711-7</p>			
Examiner <i>mmml</i>		Date Considered <i>5/19/03</i>	